

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

PHR = PHR 3

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	1	4
		% within Sex	.2%	.3%	.2%
	5-12	Count	3	2	5
		% within Sex	.2%	.5%	.3%
	13-19	Count	23	20	43
		% within Sex	1.7%	5.1%	2.5%
	20-24	Count	108	49	157
		% within Sex	8.0%	12.5%	9.0%
	25-29	Count	152	66	218
		% within Sex	11.3%	16.9%	12.5%
	30-39	Count	546	141	687
		% within Sex	40.5%	36.1%	39.5%
	40-49	Count	385	84	469
		% within Sex	28.6%	21.5%	27.0%
	50-59	Count	111	17	128
		% within Sex	8.2%	4.3%	7.4%
	60-69	Count	11	8	19
		% within Sex	.8%	2.0%	1.1%
	70+	Count	2	1	3
		% within Sex	.1%	.3%	.2%
Unknown	Count	4	2	6	
	% within Sex	.3%	.5%	.3%	
Total		Count	1348	391	1739
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	707	113	820
		% within Sex	52.4%	28.9%	47.2%
	African American	Count	407	224	631
		% within Sex	30.2%	57.3%	36.3%
	Hispanic	Count	203	48	251
		% within Sex	15.1%	12.3%	14.4%
	Asian-Pacific Islander	Count	10	1	11
		% within Sex	.7%	.3%	.6%
	Am Indian-Alaskan	Count	3	2	5
		% within Sex	.2%	.5%	.3%
	Not Specified	Count	18	3	21
		% within Sex	1.3%	.8%	1.2%
	Total		1348	391	1739
			100.0%	100.0%	100.0%

a. PHR = PHR 3

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	904		904
		% within Sex	67.1%		52.0%
	IDU	Count	79	57	136
		% within Sex	5.9%	14.6%	7.8%
	M-M & IDU	Count	46		46
		% within Sex	3.4%		2.6%
	Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	40	184	224
		% within Sex	3.0%	47.1%	12.9%
	Transfusion	Count	2	3	5
		% within Sex	.1%	.8%	.3%
	Not Classified	Count	269	144	413
		% within Sex	20.0%	36.8%	23.7%
	Ped Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	4	3	7
		% within Sex	.3%	.8%	.4%
	Ped Other-Undet	Count	1		1
		% within Sex	.1%		.1%
	Total		1348	391	1739
			100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	2	817	1	820
		% within Adult-Ped	22.2%	47.4%	16.7%	47.2%
	African American	Count	7	620	4	631
		% within Adult-Ped	77.8%	36.0%	66.7%	36.3%
	Hispanic	Count		250	1	251
		% within Adult-Ped		14.5%	16.7%	14.4%
	Asian-Pacific Islander	Count		11		11
		% within Adult-Ped		.6%		.6%
	Am Indian-Alaskan	Count		5		5
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		21		21
		% within Adult-Ped		1.2%		1.2%
Total		Count	9	1724	6	1739
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	6	1338	4	1348
		% within Adult-Ped	66.7%	77.6%	66.7%	77.5%
	Female	Count	3	386	2	391
		% within Adult-Ped	33.3%	22.4%	33.3%	22.5%
Total		Count	9	1724	6	1739
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

PHR = PHR 3

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	7	4	11
		% within Sex	.7%	1.2%	.9%
	1 (12-23 mo)	Count		1	1
		% within Sex		.3%	.1%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	13-19	Count	8	26	34
		% within Sex	.8%	8.1%	2.6%
	20-24	Count	83	51	134
		% within Sex	8.6%	15.8%	10.4%
	25-29	Count	151	64	215
		% within Sex	15.7%	19.9%	16.7%
	30-39	Count	417	99	516
		% within Sex	43.3%	30.7%	40.2%
	40-49	Count	222	48	270
		% within Sex	23.1%	14.9%	21.0%
	50-59	Count	60	25	85
		% within Sex	6.2%	7.8%	6.6%
	60-69	Count	13	4	17
		% within Sex	1.4%	1.2%	1.3%
Total		Count	962	322	1284
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	484	69	553
		% within Sex	50.3%	21.4%	43.1%
	African American	Count	302	200	502
		% within Sex	31.4%	62.1%	39.1%
	Hispanic	Count	158	52	210
		% within Sex	16.4%	16.1%	16.4%
	Asian-Pacific Islander	Count	12		12
		% within Sex	1.2%		.9%
	Am Indian-Alaskan	Count	3		3
		% within Sex	.3%		.2%
	Not Specified	Count	3	1	4
		% within Sex	.3%	.3%	.3%
	Total		962	322	1284
			100.0%	100.0%	100.0%

a. PHR = PHR 3

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	599		599
		% within Sex	62.3%		46.7%
	IDU	Count	68	75	143
		% within Sex	7.1%	23.3%	11.1%
	M-M & IDU	Count	52		52
		% within Sex	5.4%		4.0%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	17	49	66
		% within Sex	1.8%	15.2%	5.1%
	Transfusion	Count	1		1
		% within Sex	.1%		.1%
	Not Classified	Count	216	193	409
		% within Sex	22.5%	59.9%	31.9%
	Ped Parent at Risk	Count	5	5	10
		% within Sex	.5%	1.6%	.8%
	Ped Other-Undet	Count	3		3
		% within Sex	.3%		.2%
	Total		962	322	1284
			100.0%	100.0%	100.0%

a. PHR = PHR 3

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	3	550	553
		% within Adult-Ped	23.1%	43.3%	43.1%
	African American	Count	7	495	502
		% within Adult-Ped	53.8%	38.9%	39.1%
	Hispanic	Count	3	207	210
		% within Adult-Ped	23.1%	16.3%	16.4%
	Asian-Pacific Islander	Count		12	12
		% within Adult-Ped		.9%	.9%
	Am Indian-Alaskan	Count		3	3
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		4	4
		% within Adult-Ped		.3%	.3%
	Total	Count	13	1271	1284
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 3

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	8	954	962
		% within Adult-Ped	61.5%	75.1%	74.9%
	Female	Count	5	317	322
		% within Adult-Ped	38.5%	24.9%	25.1%
Total		Count	13	1271	1284
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

PHR = PHR 3

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	24	21	45
		% within Sex	.6%	1.8%	.9%
	1 (12-23 mo)	Count	1	7	8
		% within Sex	.0%	.6%	.2%
	2-4	Count	5	6	11
		% within Sex	.1%	.5%	.2%
	5-12	Count	14	5	19
		% within Sex	.4%	.4%	.4%
	13-19	Count	51	91	142
		% within Sex	1.4%	7.9%	2.9%
	20-24	Count	316	172	488
		% within Sex	8.4%	14.9%	9.9%
	25-29	Count	559	212	771
		% within Sex	14.8%	18.4%	15.7%
	30-39	Count	1616	370	1986
		% within Sex	42.9%	32.0%	40.3%
	40-49	Count	893	193	1086
		% within Sex	23.7%	16.7%	22.1%
	50-59	Count	232	58	290
		% within Sex	6.2%	5.0%	5.9%
	60-69	Count	46	15	61
		% within Sex	1.2%	1.3%	1.2%
	70+	Count	4	2	6
		% within Sex	.1%	.2%	.1%
	Unknown	Count	8	3	11
		% within Sex	.2%	.3%	.2%
Total		Count	3769	1155	4924
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1942	301	2243
		% within Sex	51.5%	26.1%	45.6%
	African American	Count	1216	693	1909
		% within Sex	32.3%	60.0%	38.8%
	Hispanic	Count	541	149	690
		% within Sex	14.4%	12.9%	14.0%
	Asian-Pacific Islander	Count	31	2	33
		% within Sex	.8%	.2%	.7%
	Am Indian-Alaskan	Count	12	5	17
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	27	5	32
		% within Sex	.7%	.4%	.6%
	Total	Count	3769	1155	4924
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2449		2449
		% within Sex	65.0%		49.7%
	IDU	Count	221	218	439
		% within Sex	5.9%	18.9%	8.9%
	M-M & IDU	Count	235		235
		% within Sex	6.2%		4.8%
	Hemophiliac	Count	6		6
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	118	355	473
		% within Sex	3.1%	30.7%	9.6%
	Transfusion	Count	6	6	12
		% within Sex	.2%	.5%	.2%
	Not Classified	Count	690	537	1227
		% within Sex	18.3%	46.5%	24.9%
	Ped Hemophiliac	Count	7		7
		% within Sex	.2%		.1%
	Ped Parent at Risk	Count	30	35	65
		% within Sex	.8%	3.0%	1.3%
	Ped Transfusion	Count		1	1
		% within Sex		.1%	.0%
	Ped Other-Undet	Count	7	3	10
		% within Sex	.2%	.3%	.2%
	Total	Count	3769	1155	4924
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	24	2214	5	2243
		% within Adult-Ped	28.9%	45.8%	45.5%	45.6%
	African American	Count	46	1859	4	1909
		% within Adult-Ped	55.4%	38.5%	36.4%	38.8%
	Hispanic	Count	12	676	2	690
		% within Adult-Ped	14.5%	14.0%	18.2%	14.0%
	Asian-Pacific Islander	Count	1	32		33
		% within Adult-Ped	1.2%	.7%		.7%
	Am Indian-Alaskan	Count		17		17
		% within Adult-Ped		.4%		.3%
	Not Specified	Count		32		32
		% within Adult-Ped		.7%		.6%
Total		Count	83	4830	11	4924
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	44	3717	8	3769
		% within Adult-Ped	53.0%	77.0%	72.7%	76.5%
	Female	Count	39	1113	3	1155
		% within Adult-Ped	47.0%	23.0%	27.3%	23.5%
Total		Count	83	4830	11	4924
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

PHR = PHR 3

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	23	21	44
		% within Sex	.6%	1.8%	.9%
	1 (12-23 mo)	Count	1	7	8
		% within Sex	.0%	.6%	.2%
	2-4	Count	5	5	10
		% within Sex	.1%	.4%	.2%
	5-12	Count	14	4	18
		% within Sex	.4%	.4%	.4%
	13-19	Count	51	91	142
		% within Sex	1.4%	8.0%	2.9%
	20-24	Count	313	171	484
		% within Sex	8.5%	15.0%	10.0%
	25-29	Count	555	209	764
		% within Sex	15.0%	18.3%	15.8%
	30-39	Count	1597	365	1962
		% within Sex	43.1%	32.0%	40.5%
	40-49	Count	870	190	1060
		% within Sex	23.5%	16.7%	21.9%
	50-59	Count	218	57	275
		% within Sex	5.9%	5.0%	5.7%
	60-69	Count	44	15	59
		% within Sex	1.2%	1.3%	1.2%
	70+	Count	3	2	5
		% within Sex	.1%	.2%	.1%
Unknown	Count	8	3	11	
	% within Sex	.2%	.3%	.2%	
Total	Count	3702	1140	4842	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 3

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	2		2
		% within Sex	.1%		.0%
	1 (12-23 mo)	Count	5	2	7
		% within Sex	.1%	.2%	.1%
	2-4	Count	10	10	20
		% within Sex	.3%	.9%	.4%
	5-12	Count	16	20	36
		% within Sex	.4%	1.8%	.7%
	13-19	Count	19	40	59
		% within Sex	.5%	3.5%	1.2%
	20-24	Count	202	138	340
		% within Sex	5.5%	12.1%	7.0%
	25-29	Count	410	196	606
		% within Sex	11.1%	17.2%	12.5%
	30-39	Count	1541	402	1943
		% within Sex	41.6%	35.3%	40.1%
	40-49	Count	1123	237	1360
		% within Sex	30.3%	20.8%	28.1%
	50-59	Count	299	71	370
		% within Sex	8.1%	6.2%	7.6%
	60-69	Count	66	20	86
		% within Sex	1.8%	1.8%	1.8%
	70+	Count	7	2	9
		% within Sex	.2%	.2%	.2%
	Unknown	Count	2	2	4
		% within Sex	.1%	.2%	.1%
Total		Count	3702	1140	4842
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1914	296	2210
		% within Sex	51.7%	26.0%	45.6%
	African American	Count	1190	686	1876
		% within Sex	32.1%	60.2%	38.7%
	Hispanic	Count	530	146	676
		% within Sex	14.3%	12.8%	14.0%
	Asian-Pacific Islander	Count	31	2	33
		% within Sex	.8%	.2%	.7%
	Am Indian-Alaskan	Count	10	5	15
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	27	5	32
		% within Sex	.7%	.4%	.7%
	Total	Count	3702	1140	4842
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2420		2420
		% within Sex	65.4%		50.0%
	IDU	Count	213	215	428
		% within Sex	5.8%	18.9%	8.8%
	M-M & IDU	Count	231		231
		% within Sex	6.2%		4.8%
	Hemophiliac	Count	6		6
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	115	354	469
		% within Sex	3.1%	31.1%	9.7%
	Transfusion	Count	6	6	12
		% within Sex	.2%	.5%	.2%
	Not Classified	Count	668	528	1196
		% within Sex	18.0%	46.3%	24.7%
	Ped Hemophiliac	Count	7		7
		% within Sex	.2%		.1%
	Ped Parent at Risk	Count	29	33	62
		% within Sex	.8%	2.9%	1.3%
	Ped Transfusion	Count		1	1
		% within Sex		.1%	.0%
	Ped Other-Undet	Count	7	3	10
		% within Sex	.2%	.3%	.2%
	Total	Count	3702	1140	4842
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	22	2183	5	2210
		% within Adult-Ped	27.5%	45.9%	45.5%	45.6%
	African American	Count	45	1827	4	1876
		% within Adult-Ped	56.3%	38.5%	36.4%	38.7%
	Hispanic	Count	12	662	2	676
		% within Adult-Ped	15.0%	13.9%	18.2%	14.0%
	Asian-Pacific Islander	Count	1	32		33
		% within Adult-Ped	1.3%	.7%		.7%
	Am Indian-Alaskan	Count		15		15
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		32		32
		% within Adult-Ped		.7%		.7%
	Total	Count	80	4751	11	4842
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	43	3651	8	3702
		% within Adult-Ped	53.8%	76.8%	72.7%	76.5%
	Female	Count	37	1100	3	1140
		% within Adult-Ped	46.3%	23.2%	27.3%	23.5%
Total		Count	80	4751	11	4842
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

PHR = PHR 3

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	5-12	Count		1	1
		% within Sex		.6%	.1%
	13-19	Count	3	2	5
		% within Sex	.4%	1.1%	.6%
	20-24	Count	23	9	32
		% within Sex	3.2%	5.1%	3.6%
	25-29	Count	64	27	91
		% within Sex	9.0%	15.3%	10.2%
	30-39	Count	330	83	413
		% within Sex	46.3%	47.2%	46.5%
	40-49	Count	209	36	245
		% within Sex	29.3%	20.5%	27.6%
	50-59	Count	67	16	83
		% within Sex	9.4%	9.1%	9.3%
60-69	Count	13	2	15	
	% within Sex	1.8%	1.1%	1.7%	
70+	Count	3		3	
	% within Sex	.4%		.3%	
Unknown	Count	1		1	
	% within Sex	.1%		.1%	
Total		Count	713	176	889
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	320	39	359
		% within Sex	44.9%	22.2%	40.4%
	African American	Count	248	111	359
		% within Sex	34.8%	63.1%	40.4%
	Hispanic	Count	140	24	164
		% within Sex	19.6%	13.6%	18.4%
	Asian-Pacific Islander	Count	5	2	7
		% within Sex	.7%	1.1%	.8%
	Total		713	176	889
			100.0%	100.0%	100.0%

a. PHR = PHR 3

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	405		405
		% within Sex	56.8%		45.6%
	IDU	Count	81	36	117
		% within Sex	11.4%	20.5%	13.2%
	M-M & IDU	Count	32		32
		% within Sex	4.5%		3.6%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	19	62	81
		% within Sex	2.7%	35.2%	9.1%
	Transfusion	Count	3	4	7
		% within Sex	.4%	2.3%	.8%
	Not Classified	Count	172	72	244
		% within Sex	24.1%	40.9%	27.4%
	Ped Parent at Risk	Count		1	1
		% within Sex		.6%	.1%
	Ped Transfusion	Count		1	1
		% within Sex		.6%	.1%
Total		Count	713	176	889
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	357	1	359
		% within Adult-Ped	100.0%	40.2%	100.0%	40.4%
	African American	Count		359		359
		% within Adult-Ped		40.5%		40.4%
	Hispanic	Count		164		164
		% within Adult-Ped		18.5%		18.4%
	Asian-Pacific Islander	Count		7		7
		% within Adult-Ped		.8%		.8%
Total	Count	1	887	1	889	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. PHR = PHR 3

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count		712	1	713
		% within Adult-Ped		80.3%	100.0%	80.2%
	Female	Count	1	175		176
		% within Adult-Ped	100.0%	19.7%		19.8%
Total		Count	1	887	1	889
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

PHR = PHR 3

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count		2	2
		% within Sex		1.1%	.2%
	20-24	Count	34	12	46
		% within Sex	4.5%	6.7%	4.9%
	25-29	Count	73	19	92
		% within Sex	9.7%	10.6%	9.9%
	30-39	Count	331	80	411
		% within Sex	44.0%	44.7%	44.1%
	40-49	Count	225	45	270
		% within Sex	29.9%	25.1%	29.0%
	50-59	Count	76	16	92
		% within Sex	10.1%	8.9%	9.9%
	60-69	Count	13	4	17
		% within Sex	1.7%	2.2%	1.8%
	70+	Count	1	1	2
		% within Sex	.1%	.6%	.2%
Total		Count	753	179	932
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	354	35	389
		% within Sex	47.0%	19.6%	41.7%
	African American	Count	242	121	363
		% within Sex	32.1%	67.6%	38.9%
	Hispanic	Count	148	18	166
		% within Sex	19.7%	10.1%	17.8%
	Asian-Pacific Islander	Count	8	1	9
		% within Sex	1.1%	.6%	1.0%
	Am Indian-Alaskan	Count		2	2
		% within Sex		1.1%	.2%
	Not Specified	Count	1	2	3
		% within Sex	.1%	1.1%	.3%
Total	Count	753	179	932	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 3

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	444		444
		% within Sex	59.0%		47.6%
	IDU	Count	60	38	98
		% within Sex	8.0%	21.2%	10.5%
	M-M & IDU	Count	60		60
		% within Sex	8.0%		6.4%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	14	36	50
		% within Sex	1.9%	20.1%	5.4%
	Transfusion	Count	2	2	4
		% within Sex	.3%	1.1%	.4%
	Not Classified	Count	170	103	273
		% within Sex	22.6%	57.5%	29.3%
	Ped Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Ped Transfusion	Count	1		1
		% within Sex	.1%		.1%
Total	Count	753	179	932	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 3

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	389	389
		% within Adult-Ped	41.7%	41.7%
	African American	Count	363	363
		% within Adult-Ped	38.9%	38.9%
	Hispanic	Count	166	166
		% within Adult-Ped	17.8%	17.8%
	Asian-Pacific Islander	Count	9	9
		% within Adult-Ped	1.0%	1.0%
	Am Indian-Alaskan	Count	2	2
		% within Adult-Ped	.2%	.2%
	Not Specified	Count	3	3
		% within Adult-Ped	.3%	.3%
Total	Count	932	932	
	% within Adult-Ped	100.0%	100.0%	

a. PHR = PHR 3

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Sex	Male	Count	753	753
		% within Adult-Ped	80.8%	80.8%
	Female	Count	179	179
		% within Adult-Ped	19.2%	19.2%
Total		Count	932	932
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

PHR = PHR 3

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	13	10	23
		% within Sex	.1%	.5%	.1%
	1 (12-23 mo)	Count	10	3	13
		% within Sex	.1%	.2%	.1%
	2-4	Count	6	8	14
		% within Sex	.0%	.4%	.1%
	5-12	Count	10	6	16
		% within Sex	.1%	.3%	.1%
	13-19	Count	51	27	78
		% within Sex	.3%	1.5%	.4%
	20-24	Count	590	152	742
		% within Sex	3.7%	8.2%	4.2%
	25-29	Count	2569	321	2890
		% within Sex	16.2%	17.3%	16.3%
	30-39	Count	7857	763	8620
		% within Sex	49.5%	41.1%	48.6%
	40-49	Count	3533	396	3929
		% within Sex	22.2%	21.3%	22.2%
	50-59	Count	963	113	1076
		% within Sex	6.1%	6.1%	6.1%
60-69	Count	236	41	277	
	% within Sex	1.5%	2.2%	1.6%	
70+	Count	40	18	58	
	% within Sex	.3%	1.0%	.3%	
Unknown	Count	1		1	
	% within Sex	.0%		.0%	
Total	Count	15879	1858	17737	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 3

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	10253	592	10845
		% within Sex	64.6%	31.9%	61.1%
	African American	Count	3734	1057	4791
		% within Sex	23.5%	56.9%	27.0%
	Hispanic	Count	1776	187	1963
		% within Sex	11.2%	10.1%	11.1%
	Asian-Pacific Islander	Count	72	15	87
		% within Sex	.5%	.8%	.5%
	Am Indian-Alaskan	Count	39	5	44
		% within Sex	.2%	.3%	.2%
	Not Specified	Count	5	2	7
		% within Sex	.0%	.1%	.0%
	Total	Count	15879	1858	17737
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	11660		11660
		% within Sex	73.4%		65.7%
	IDU	Count	1337	650	1987
		% within Sex	8.4%	35.0%	11.2%
	M-M & IDU	Count	1423		1423
		% within Sex	9.0%		8.0%
	Hemophiliac	Count	61	5	66
		% within Sex	.4%	.3%	.4%
	Heterosexual Contact	Count	335	625	960
		% within Sex	2.1%	33.6%	5.4%
	Transfusion	Count	123	97	220
		% within Sex	.8%	5.2%	1.2%
	Not Classified	Count	890	452	1342
		% within Sex	5.6%	24.3%	7.6%
	Ped Hemophiliac	Count	13		13
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	30	23	53
		% within Sex	.2%	1.2%	.3%
	Ped Transfusion	Count	7	4	11
		% within Sex	.0%	.2%	.1%
	Ped Other-Undet	Count		2	2
		% within Sex		.1%	.0%
	Total	Count	15879	1858	17737
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	23	10821	1	10845
		% within Adult-Ped	34.8%	61.2%	100.0%	61.1%
	African American	Count	35	4756		4791
		% within Adult-Ped	53.0%	26.9%		27.0%
	Hispanic	Count	7	1956		1963
		% within Adult-Ped	10.6%	11.1%		11.1%
	Asian-Pacific Islander	Count	1	86		87
		% within Adult-Ped	1.5%	.5%		.5%
	Am Indian-Alaskan	Count		44		44
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		7		7
		% within Adult-Ped		.0%		.0%
Total		Count	66	17670	1	17737
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	39	15839	1	15879
		% within Adult-Ped	59.1%	89.6%	100.0%	89.5%
	Female	Count	27	1831		1858
		% within Adult-Ped	40.9%	10.4%		10.5%
Total		Count	66	17670	1	17737
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

PHR = PHR 3

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	5	10
		% within Sex	.1%	.4%	.1%
	1 (12-23 mo)	Count	3	3	6
		% within Sex	.0%	.2%	.1%
	2-4	Count	2	3	5
		% within Sex	.0%	.2%	.1%
	5-12	Count	4	4	8
		% within Sex	.1%	.3%	.1%
	13-19	Count	34	21	55
		% within Sex	.5%	1.7%	.7%
	20-24	Count	258	102	360
		% within Sex	3.7%	8.4%	4.4%
	25-29	Count	965	220	1185
		% within Sex	13.7%	18.2%	14.4%
	30-39	Count	3586	516	4102
		% within Sex	51.0%	42.6%	49.8%
	40-49	Count	1661	250	1911
		% within Sex	23.6%	20.7%	23.2%
	50-59	Count	412	65	477
		% within Sex	5.9%	5.4%	5.8%
	60-69	Count	91	16	107
		% within Sex	1.3%	1.3%	1.3%
	70+	Count	8	5	13
		% within Sex	.1%	.4%	.2%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total		Count	7030	1210	8240
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	1		1
		% within Sex	.0%		.0%
	5-12	Count	7	7	14
		% within Sex	.1%	.6%	.2%
	13-19	Count	5	11	16
		% within Sex	.1%	.9%	.2%
	20-24	Count	49	22	71
		% within Sex	.7%	1.8%	.9%
	25-29	Count	219	117	336
		% within Sex	3.1%	9.7%	4.1%
	30-39	Count	2382	466	2848
		% within Sex	33.9%	38.5%	34.6%
	40-49	Count	3081	412	3493
		% within Sex	43.8%	34.0%	42.4%
	50-59	Count	1007	140	1147
		% within Sex	14.3%	11.6%	13.9%
	60-69	Count	238	25	263
		% within Sex	3.4%	2.1%	3.2%
	70+	Count	41	10	51
		% within Sex	.6%	.8%	.6%
Total		Count	7030	1210	8240
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3997	338	4335
		% within Sex	56.9%	27.9%	52.6%
	African American	Count	1969	721	2690
		% within Sex	28.0%	59.6%	32.6%
	Hispanic	Count	1000	133	1133
		% within Sex	14.2%	11.0%	13.8%
	Asian-Pacific Islander	Count	39	12	51
		% within Sex	.6%	1.0%	.6%
	Am Indian-Alaskan	Count	22	4	26
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	3	2	5
		% within Sex	.0%	.2%	.1%
Total	Count	7030	1210	8240	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 3

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4919		4919
		% within Sex	70.0%		59.7%
	IDU	Count	646	375	1021
		% within Sex	9.2%	31.0%	12.4%
	M-M & IDU	Count	569		569
		% within Sex	8.1%		6.9%
	Hemophiliac	Count	21	2	23
		% within Sex	.3%	.2%	.3%
	Heterosexual Contact	Count	198	409	607
		% within Sex	2.8%	33.8%	7.4%
	Transfusion	Count	28	35	63
		% within Sex	.4%	2.9%	.8%
	Not Classified	Count	628	373	1001
		% within Sex	8.9%	30.8%	12.1%
	Ped Hemophiliac	Count	6		6
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	12	12	24
		% within Sex	.2%	1.0%	.3%
	Ped Transfusion	Count	3	2	5
		% within Sex	.0%	.2%	.1%
	Ped Other-Undet	Count		2	2
		% within Sex		.2%	.0%
Total		Count	7030	1210	8240
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	11	4323	1	4335
		% within Adult-Ped	37.9%	52.7%	100.0%	52.6%
	African American	Count	17	2673		2690
		% within Adult-Ped	58.6%	32.6%		32.6%
	Hispanic	Count	1	1132		1133
		% within Adult-Ped	3.4%	13.8%		13.8%
	Asian-Pacific Islander	Count		51		51
		% within Adult-Ped		.6%		.6%
	Am Indian-Alaskan	Count		26		26
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		5		5
		% within Adult-Ped		.1%		.1%
Total		Count	29	8210	1	8240
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	14	7015	1	7030
		% within Adult-Ped	48.3%	85.4%	100.0%	85.3%
	Female	Count	15	1195		1210
		% within Adult-Ped	51.7%	14.6%		14.7%
Total		Count	29	8210	1	8240
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

PHR = PHR 3

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	28	26	54
		% within Sex	.3%	1.1%	.4%
	1 (12-23 mo)	Count	4	10	14
		% within Sex	.0%	.4%	.1%
	2-4	Count	7	8	15
		% within Sex	.1%	.3%	.1%
	5-12	Count	18	8	26
		% within Sex	.2%	.3%	.2%
	13-19	Count	85	112	197
		% within Sex	.8%	4.8%	1.5%
	20-24	Count	571	273	844
		% within Sex	5.3%	11.6%	6.5%
	25-29	Count	1520	429	1949
		% within Sex	14.2%	18.3%	14.9%
	30-39	Count	5183	881	6064
		% within Sex	48.3%	37.5%	46.4%
	40-49	Count	2531	440	2971
		% within Sex	23.6%	18.7%	22.7%
	50-59	Count	630	122	752
		% within Sex	5.9%	5.2%	5.7%
	60-69	Count	135	31	166
		% within Sex	1.3%	1.3%	1.3%
	70+	Count	11	7	18
		% within Sex	.1%	.3%	.1%
	Unknown	Count	9	3	12
		% within Sex	.1%	.1%	.1%
Total		Count	10732	2350	13082
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	2		2
		% within Sex	.0%		.0%
	1 (12-23 mo)	Count	5	2	7
		% within Sex	.0%	.1%	.1%
	2-4	Count	11	10	21
		% within Sex	.1%	.4%	.2%
	5-12	Count	23	27	50
		% within Sex	.2%	1.1%	.4%
	13-19	Count	24	51	75
		% within Sex	.2%	2.2%	.6%
	20-24	Count	251	160	411
		% within Sex	2.3%	6.8%	3.1%
	25-29	Count	629	313	942
		% within Sex	5.9%	13.3%	7.2%
	30-39	Count	3923	868	4791
		% within Sex	36.6%	36.9%	36.6%
	40-49	Count	4204	649	4853
		% within Sex	39.2%	27.6%	37.1%
	50-59	Count	1306	211	1517
		% within Sex	12.2%	9.0%	11.6%
	60-69	Count	304	45	349
		% within Sex	2.8%	1.9%	2.7%
	70+	Count	48	12	60
		% within Sex	.4%	.5%	.5%
Unknown	Count	2	2	4	
	% within Sex	.0%	.1%	.0%	
Total	Count	10732	2350	13082	
	% within Sex	100.0%	100.0%	100.0%	

a. PHR = PHR 3

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5911	634	6545
		% within Sex	55.1%	27.0%	50.0%
	African American	Count	3159	1407	4566
		% within Sex	29.4%	59.9%	34.9%
	Hispanic	Count	1530	279	1809
		% within Sex	14.3%	11.9%	13.8%
	Asian-Pacific Islander	Count	70	14	84
		% within Sex	.7%	.6%	.6%
	Am Indian-Alaskan	Count	32	9	41
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	30	7	37
		% within Sex	.3%	.3%	.3%
	Total	Count	10732	2350	13082
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7339		7339
		% within Sex	68.4%		56.1%
	IDU	Count	859	590	1449
		% within Sex	8.0%	25.1%	11.1%
	M-M & IDU	Count	800		800
		% within Sex	7.5%		6.1%
	Hemophiliac	Count	27	2	29
		% within Sex	.3%	.1%	.2%
	Heterosexual Contact	Count	313	763	1076
		% within Sex	2.9%	32.5%	8.2%
	Transfusion	Count	34	41	75
		% within Sex	.3%	1.7%	.6%
	Not Classified	Count	1296	901	2197
		% within Sex	12.1%	38.3%	16.8%
	Ped Hemophiliac	Count	13		13
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	41	45	86
		% within Sex	.4%	1.9%	.7%
	Ped Transfusion	Count	3	3	6
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	7	5	12
		% within Sex	.1%	.2%	.1%
	Total	Count	10732	2350	13082
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 3

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	33	6506	6	6545
		% within Adult-Ped	30.3%	50.2%	50.0%	50.0%
	African American	Count	62	4500	4	4566
		% within Adult-Ped	56.9%	34.7%	33.3%	34.9%
	Hispanic	Count	13	1794	2	1809
		% within Adult-Ped	11.9%	13.8%	16.7%	13.8%
	Asian-Pacific Islander	Count	1	83		84
		% within Adult-Ped	.9%	.6%		.6%
	Am Indian-Alaskan	Count		41		41
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		37		37
		% within Adult-Ped		.3%		.3%
Total		Count	109	12961	12	13082
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	57	10666	9	10732
		% within Adult-Ped	52.3%	82.3%	75.0%	82.0%
	Female	Count	52	2295	3	2350
		% within Adult-Ped	47.7%	17.7%	25.0%	18.0%
Total		Count	109	12961	12	13082
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 3